Eccentric Clamping Clamps

EH 23270.



Product Description

These clamps have a high clamping force for low clamping heights. The body from brass provides a gentle but safe clamping.

Material

Eccentric screw

- Steel
- · Stainless Steel

Body


- Brass
- · Stainless Steel

More information

Notes

The head of the eccentric screw can slightly protrude from the body (h_1) .

Drawing




Order information

Dimensions				Α	ws		Clamping	Tightening	I	Art. No.
d ₁	h ₁	h ₂	s		WS ₁	WS ₂	force	torque	_	
							max.	max.		
[mm]				[mm]	[mm]		[kN]	[Nm]	[g]	
Brass										
M 4	2.8	9.6	0.75	3.8	7.93	3	0.9	2.5	3.5	23270.0104
M 6	4.8	11.2	1.00	7.8	15.86	4	3.4	10.0	11.0	23270.0106
M 8	4.8	15.0	1.00	10.2	20.60	5	3.6	18.0	20.0	23270.0108
M10	6.3	19.0	1.30	10.2	20.60	7	7.0	26.0	27.0	23270.0110
M12	9.5	22.8	2.00	12.7	25.40	8	9.0	75.0	54.0	23270.0112
M16	12.7	28.5	2.50	15.0	30.13	12	12.0	120.0	108.0	23270.0116
Stainless Ste	el									
M 6	4.8	11.2	1.00	7.8	15.86	4	3.4	10.0	10.0	23270.0306
M 8	6.4	15.0	1.00	10.2	20.60	5	3.6	18.0	22.0	23270.0308

www.halder.com Page 1 of 2
Published on: 10.8.2024

Application example



Compliance

RoHS compliant

Compliant according to Directive 2011/65/EU and Directive 2015/863.

Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 27.06.2024.

Erwin Halder KG

Does not contain Proposition 65 substances

No Proposition 65 substances included. https://www.P65Warnings.ca.gov/

Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



Page 2 of 2 Published on: 10.8.2024