# Crank Handles • DIN 468 goose-neck form with square end DIN 79





## **Product Description**

With these crank handles, the seam is ground and blasted. The hub is machined.

#### **Material**


#### Machine handle

· Steel, turned, zinc-plated by galvanization, passivated

#### Handle body

· Nodular cast iron, plastic coated, black

## **Drawing**



### **Order information**

Dimensions								d <sub>3</sub>	I	Art. No.
I	s	е	d₁	d <sub>2</sub>	h <sub>1</sub>	h <sub>2</sub>	h <sub>3</sub>	Machine handle Ø	_	
	H11	min.				~				
[mm]								[mm]	[g]	
with fixed machine handle (EH 24450., DIN 39), form F										
250	22	28.2	23.1	48	48	90	209	32	1490	24330.0370

#### Compliance

#### **RoHS** compliant

Contains lead - compliant according to exceptions 6a / 6b / 6c.

#### Contains SVHC substances >0,1% w/w

Contains lead - SVHC list [REACH] as of 27.06.2024.

## **Contains Proposition 65 substances**



Lead can cause cancer and reproductive harm from exposure https://www.P65Warnings.ca.gov/

Erwin Halder KG

### **Free from Conflict Minerals**

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



www.halder.com Page 1 of 1 Published on: 10.8.2024