# **Locating Bushings ⋅** for lifting pins 22350.0920



## **Product Description**

Locating bushings are used for quick and safe locating of lifting pins EH 22350 / EH 22351. Corrosion and abrasion resistant.


#### Material


· Stainless steel 1.4542, precipitationhardened

#### **Assembly**

Safe tolerances and consistent function. Easily incorporated into different materials Can be mounted in blind holes. For thin-walled parts, lock nuts are used for assembly.

## **Drawing**







Erwin Halder KG

## **Order information**


Dimensions		For nominal	Dimensions				ws	/S Tightening	x	Load capacity			For lifting pin	I	Art. No.
d <sub>1</sub>	d <sub>2</sub>	length	d <sub>3</sub>	d <sub>4</sub>	I <sub>1</sub>	l <sub>2</sub>		torque		F <sub>1</sub>	F <sub>2</sub>	F <sub>3</sub>			
H11			-0.2	+0.3				max.							
[mm]		[mm]	[mm]				[mm]	[Nm]	[mm]	[kN]				[g]	
12	M24 x 1,5	15	32	14.7	35.5	24	27	220	1.5	3.5	3.2	2.8	22350.0631 / .0731	95	22350.0920





Page 1 of 2 www.halder.com

Published on: 10.8.2024

## **Application example**







## Compliance

#### **RoHS** compliant

Compliant according to Directive 2011/65/EU and Directive 2015/863.

#### Does not contain SVHC substances

No SVHC substances with more than 0.1% w/w contained - SVHC list [REACH] as of 27.06.2024.

### Does not contain Proposition 65 substances

No Proposition 65 substances included. https://www.P65Warnings.ca.gov/

#### **Free from Conflict Minerals**

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



www.halder.com Page 2 of 2
Published on: 10.8.2024