Retrieval Units • with sensor

22810.1012



Product Description

For retrieve a workpiece on a seating element.

The retrieval unit is always built into a seating element as a single system. By means of a simple plug-in connection, it transmits whether a part is located at a specific position, as an electrical signal.

The retrieval unit can be used in combination with various seating elements. For example, the EH 22690 pins from the Halder standard parts are suitable.

Data is transferred via a cable connection. Optionally, the retrieval signal can be transferred by radio. The version with bushing must be used to connect the retrieval unit to the radio transmitter. The retrieval unit meets the requirements of protection class IP6K7 (highly temperature-resistant and robust).

Material

Cable

· Silicone

Sensor

· Plastic, black

Plug

Metal

Body

· Aluminium, blue anodised

Body

· Heat-treated steel, tempered, blackened

More information


Notes


Further information on request. Erwin Halder KG is a registered electrical equipment manufacturer (WEEE-Reg. No. DE 47048902).

Further products

- Index Plungers, with sensor
- Pins
- · Pins, with plastic bearing surface
- · Radio Transmitters, for retrieval unit
- · Radio Receivers, for retrieval unit
- Sensing Elements, with sensor adapter
- Sensing Elements, with actuating bolt, protected against rotating

Drawing





Erwin Halder KG

www.halder.com

Published on: 10.8.2024

Order information

| Dimensions | | | | | | | | | | ws | | | | I | Art. No. | | | |
|----------------|----------------|----------------|----------------|----------------|-----------------------|--------------------|---------------------|----------------|----------------|------------------------|-------------------|-----------------|-----------------|-----------------|----------|------------|-----|--|
| d ₁ | d ₂ | d ₃ | l ₁ | l ₂ | I ₃ | h ₁ min. | h ₁ max. | h ₂ | h ₃ | h ₄ min. | h₄ max. | WS ₁ | WS ₂ | WS ₃ | min. | max. | | |
| [mm] | | | | | | | | | | | [mm] | | [°C] | | [g] | | | |
| | | | | | [] | | | | | | | L | | | ۱ ۷ | ' 1 | เลา | |
| retrieva | l unit with | n plug – pi | cture 2 | | [] | | | | | | | · | | | | ' 1 | เลา | |


Accessories

| | ≛ | Art. No. |
|---------------------------|-------------|------------|
| | [9] | |
| sensor with bush and sill | icone cable | |
| | 99 | 22810.9001 |
| sensor with plug and sili | cone cable | |
| No Photo available | 96 | 22810.9002 |

Application example



Page 2 of 3 Published on: 10.8.2024







Compliance

RoHS compliant

Contains lead - compliant according to exceptions 6a / 6b / 6c.

Contains SVHC substances >0,1% w/w

Contains lead - SVHC list [REACH] as of 27.06.2024.

Contains Proposition 65 substances



Lead can cause cancer and reproductive harm from exposure https://www.P65Warnings.ca.gov/

Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



www.halder.com Page 3 of 3
Published on: 10.8.2024

Erwin Halder KG