Cerniere • esecuzione lunga 25165.0020



Descrizione prodotto

The different versions cover many applications that require a low load.

These metal hinges are characterised by their simple design and the different versions:

- · without bores
- with bores
- · with bores for countersunk screws

The version without bores can be assembled by welding or by inserting a specific drilling pattern.

Materiale


Corpo


Acciaio inox 1.4301


Asse


· Acciaio inox 1.4301

Disegno











Caratteristiche

Dimensioni					Forza di ritegno			I	Codice
b ₁	l ₁	d ₂	h₁	h ₂	F ₁	F ₂	F ₃	_	
			~		~	~	~		
[mm]					[N]			[9]	
without bores – Fig. 1, acciaio inox									
30	45	3	6	1,5	1300	750	700	22	25165.0020

Conformità

Conforme alla normativa RoHS

Conforme alla Direttiva 2011/65/UE e alla Direttiva 2015/863.

Non contiene sostanze SVHC

Nessuna sostanza SVHC con più dello 0,1% p/p contenuto - elenco SVHC [REACH] aggiornato al 23.01.2024.

Non contiene sostanze della Proposition 65

Nessuna sostanza contemplata nella Proposition 65 https://www.P65Warnings.ca.gov/

Privo di minerali di conflitto

Questo prodotto non contiene sostanze designate come "minerali da conflitto" come tantalio, stagno, oro o tungsteno della Repubblica Democratica del Congo o dei paesi limitrofi.



Pagina 2 di 2 Pubblicato il: 10.7.2024