

Cerniere • esecuzione lunga
25165.0065



Descrizione prodotto

The different versions cover many applications that require a low load.

These metal hinges are characterised by their simple design and the different versions:

- without bores
- with bores
- with bores for countersunk screws

The version without bores can be assembled by welding or by inserting a specific drilling pattern.

Materiale



Corpo

- Acciaio inox 1.4301

Asse

- Acciaio inox 1.4301

Disegno



Caratteristiche

| Dimensioni | | | | | Forza di ritegno | | | [g] | Codice |
|--------------------------------------|----------------|----------------|---------------------|----------------|---------------------|----------------------------|---------------------|-----|------------|
| b ₁ | l ₁ | d ₂ | h ₁ ~ | h ₂ | F ₁ ~ | F ₂ ~ [N] | F ₃ ~ | | |
| without bores – Fig. 1, acciaio inox | | | | | | | | | |
| 60 | 90 | 6 | 10 | 2 | 3000 | 3000 | 1200 | 122 | 25165.0065 |

Conformità

Conforme alla normativa RoHS

Conforme alla Direttiva 2011/65/UE e alla Direttiva 2015/863.

Non contiene sostanze SVHC

Nessuna sostanza SVHC con più dello 0,1% p/p contenuto - elenco SVHC [REACH] aggiornato al 23.01.2024.

Non contiene sostanze della Proposition 65

Nessuna sostanza contemplata nella Proposition 65

<https://www.P65Warnings.ca.gov/>

Privo di minerali di conflitto

Questo prodotto non contiene sostanze designate come "minerali da conflitto" come tantalio, stagno, oro o tungsteno della Repubblica Democratica del Congo o dei paesi limitrofi.