# **Base Plates**

# EH 1100.300 - EH 1100.500



#### **Product Description**

#### Material


· Steel, hardened, ground


#### More information


#### **Notes**

Customized design on request.


## **Drawing**










## 1100.400










Erwin Halder KG



Slot spacing 70 ±0,01.

www.halder.com

Page 1 of 4

Published on: 13.11.2024

## **Order information**

System	Dimensions				у	Number of T-slots	-	Art. No.
	b <sub>1</sub>	b <sub>2</sub>	I <sub>1</sub>	l <sub>2</sub>			_	
	[mm]				[mm]		[kg]	
V70	230	70	420	105	12	3 x 6	40	1100.300
V70	300	140	490	140	12	4 x 7	65	1100.400
V70	370	70	630	210	12	5 x 9	104	1100.500

# **Application example**






Page 2 of 4 Published on: 13.11.2024





www.halder.com Page 3 of 4
Published on: 13.11.2024



#### Compliance

#### **RoHS** compliant

Contains lead - compliant according to exceptions 6a / 6b / 6c.

# Contains SVHC substances >0,1% w/w

Contains lead - SVHC list [REACH] as of 27.06.2024.

#### **Contains Proposition 65 substances**



Lead can cause cancer and reproductive harm from exposure https://www.P65Warnings.ca.gov/

#### **Free from Conflict Minerals**

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



Page 4 of 4 Published on: 13.11.2024